

Serial No: 10/500,306

Gonzalez et al.

PF 53175


Claim amendments:**BEST AVAILABLE COPY**

Please amend claims 19, 21 and 23 as set forth in the current listing of claims:




14. (previously presented) A composition for the treatment of metal surfaces,
containing

- a) at least one polymer as component A, composed of the structural element

(1)




and at least three structural elements selected from the group consisting of



Serial No: 10/500,306

Gonzalez et al.

PF 53175



where

in structural element (1)

R' is hydrogen or an alkyl, cycloalkyl, aryl, aralkyl or alkaryl radical of less than 31 carbon atoms which may be unsubstituted or substituted by alkyl radicals or heteroatom-containing groups or may be interrupted by heteroatoms or may contain double bonds;

in structural element (3)

R'' and R''' are any desired radicals having a molecular weight of < 200 g/mol, in structural elements (2), (3) and (4)

M, in each case independently of one another, are hydrogen or a cation, and

in structural element (5)

R is hydrogen or an alkyl, cycloalkyl, aryl, aralkyl or alkaryl radical which may be unsubstituted or substituted by alkyl radicals or heteroatom-containing groups or may be interrupted by heteroatoms;

- b) water or another solvent which is suitable for dissolving, dispersing, suspending or emulsifying the polymer (component A), as component B;
- c) if required, surface-active compounds, dispersants, suspending media and/or emulsifiers, as component C.

Serial No: 10/500,306


Gonzalez et al.

PF 53175





15. (previously presented) A composition for the deposition of metals or metal alloys on plastics surfaces, containing:

a) at least one polymer as component A, composed of the structural element

(1)



and at least three structural elements selected from the group consisting of



Serial No: 10/500,306

Gonzalez et al.

PF 53175

where

in structural element (1)

R' is hydrogen or an alkyl, cycloalkyl, aryl, aralkyl or alkaryl radical of less than 31 carbon atoms which may be unsubstituted or substituted by alkyl radicals or heteroatom-containing groups or may be interrupted by heteroatoms or may contain double bonds;

in structural element (3)

R" and R''' are any desired radicals having a molecular weight of < 200 g/mol,

in structural elements (2), (3) and (4)

M, in each case independently of one another, are hydrogen or a cation,

and

in structural element (5)

R is hydrogen or an alkyl, cycloalkyl, aryl, aralkyl or alkaryl radical which may be unsubstituted or substituted by alkyl radicals or heteroatom-containing groups or may be interrupted by heteroatoms;

- b) water or another solvent which is suitable for dissolving, dispersing, suspending or emulsifying the polymer (component A), as component B;

Serial No: 10/500,306

Gonzalez et al.

PF 53175

- c) if required, surface-active compounds, dispersants, suspending media and/or emulsifiers, as component C.

16.(previously presented) A composition as claimed in claim 14, containing, in addition to components A, B and, if required, C,

- d) at least one salt, one acid or one base based on transition metal cations, transition metal oxo anions, fluorometallates or lanthanoids, as component D, and/or

- e) at least one acid selected from the group consisting of phosphoric acid, sulfuric acid, sulfonic acids, nitric acid, hydrofluoric acid and hydrochloric acid, as component E,

and/or

- f) at least one further corrosion inhibitor as component F,

and/or

- g) compounds of Ce, Ni, Co, V, Fe, Zn, Zr, Ca, Mn, Mo, W, Cr and/or Bi as component G,

and/or

- h) further assistants and additives as component H.

17. (previously presented) A composition as claimed in claim 14, containing, in addition to components A, B and, if required, C:

- i) at least one metal oxide and/or metal salt as component I,

Serial No: 10/500,306


Gonzalez et al.

PF 53175




- j) if required, at least one complexing agent as component J,
k) if required, at least one acid or one alkali metal salt or alkaline earth metal salt of the corresponding acid as component K,
l) if required, further additives as component L.

18. (previously presented) A process for the treatment of a metal surface, wherein the metal surface is brought into contact with a polymer (component A) composed of

at least one polymer as component A, composed of the structural element (1)




and at least three structural elements selected from the group consisting of



Serial No: 10/500,306

Gonzalez et al.

PF 53175



where

in structural element (1)

R' is hydrogen or an alkyl, cycloalkyl, aryl, aralkyl or alkaryl radical of less than 31 carbon atoms which may be unsubstituted or substituted by alkyl radicals or heteroatom-containing groups or may be interrupted by heteroatoms or may contain double bonds;

in structural element (3)

R'' and R''' are any desired radicals having a molecular weight of < 200 g/mol,

in structural elements (2), (3) and (4)

M, in each case independently of one another, are hydrogen or a cation,

and

in structural element (5)

R is hydrogen or an alkyl, cycloalkyl, aryl, aralkyl or alkaryl radical which may be unsubstituted or substituted by alkyl radicals or heteroatom-containing groups or may be interrupted by heteroatoms.

19. (currently amended) A process for the treatment of a metal surface, wherein the metal surface is brought into contact with a composition as claimed in claim ~~14~~ 14.

20. (previously presented) A process as claimed in claim 19, comprising the steps:

Serial No: 10/500,306

Gonzalez et al.


PF 53175

- a) if required, cleaning of the metal surface for removing oils, greases and dirt,
- b) if required, washing with water,
- c) if required, pickling in order to remove rust or other oxides, in the presence or absence of the polymer (component A) used according to the invention,
- d) if required, washing with water,
- e) treatment of the metal surface in the presence of the polymer (component A) used according to the invention,
- f) if required, washing with water,
- g) if required, aftertreatment, in the presence or absence of the polymer (component A) used according to the invention.

21. (currently amended) A process for the treatment of a metal surface, wherein the metal surface is brought into contact with a composition as claimed in claim ~~21~~5.

22. (previously presented) A process for the deposition of metals or metal alloys on a plastics surface, wherein the plastics surface is brought into contact with a polymer (component A) composed of

at least one polymer as component A, composed of the structural element (1)







and at least three structural elements selected from the group consisting of

Serial No: 10/500,306

Gonzalez et al.

PF 53175



where

in structural element (1)

R' is hydrogen or an alkyl, cycloalkyl, aryl, aralkyl or alkaryl radical of less than 31 carbon atoms which may be unsubstituted or substituted by alkyl radicals or heteroatom-containing groups or may be interrupted by heteroatoms or may contain double bonds;

in structural element (3)

R'' and R''' are any desired radicals having a molecular weight of < 200 g/mol,

in structural elements (2), (3) and (4)

M_i in each case independently of one another, are hydrogen or a cation,

and

Serial No: 10/500,306

Gonzalez et al.

PF 53175

in structural element (5)

R is hydrogen or an alkyl, cycloalkyl, aryl, aralkyl or alkaryl radical which may be unsubstituted or substituted by alkyl radicals or heteroatom-containing groups or may be interrupted by heteroatoms.

23. (currently amended) A process for the deposition of metals or metal alloys on a plastics surface, wherein the plastics surface is brought into contact with a composition as claimed in claim 215.
24. (previously presented) A process as claimed in claim 21, wherein a chemical or electrochemical metal deposition is carried out.
25. (previously presented) A composition as claimed in claim 15, containing, in addition to components A, B and, if required, C,
- i) at least one metal oxide and/or metal salt as component I,
 - j) if required, at least one complexing agent as component J,
 - k) if required, at least one acid or one alkali metal salt or alkaline earth metal salt of the corresponding acid as component K,
 - l) if required, further additives as component L.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.